






(1) MGN-C / MGN-H

MGN7, MGN9, MGN12



www.seli.tn

Model No.	Dimensions of Assembly (mm)			Dimensions of Block (mm)										Dimensions of Rail (mm)						Mounting Bolt for Rail (mm)	Basic Dynamic Load Rating C (kN)	Basic Static Load Rating C0 (kN)	Static Rated Moment			
	H	H1	N	W	B	B1	C	L1	L	G	G1	Mxl	H2	WR	Hr	D	h	d	P				E	MR	MP	MY
																					N-m	N-m	N-m			
MGN5C	6	1.5	3.5	12	8	2	-	9.6	16	-	Ø0.8	M2x1.5	1	5	3.6	3.6	0.8	2.4	15	5	M2x6	0.54	0.84	2	1.3	1.3
MGN7C	8	1.5	5	17	12	2.5	8	13.5	22.5	-	Ø1.2	M2x2.5	1.5	7	4.8	4.2	2.3	2.4	15	5	M2x6	0.98	1.24	4.70	2.84	2.84
MGN7H																						13	21.8	30.8	1.37	1.96
MGN9C	10	2	5.5	20	15	2.5	10	18.9	28.9	-	Ø1.4	M3x3	1.8	9	6.5	6	3.5	3.5	20	7.5	M3x8	1.86	2.55	11.76	7.35	7.35
MGN9H																						16	29.9	39.9	2.55	4.02
MGN10C	13	3	7.5	27	20	3.5	15	21.8	34.8	-	Ø2	M3x3.5	2.5	12	8	6	4.5	3.5	25	10	M3x8	2.81	3.82	25.18	18.78	18.78
MGN12H																						20	32.4	45.4	3.72	5.88
MGN15C	16	4	8.5	32	25	3.5	20	26.7	42.1	4.5	M3	M3x4	3	15	10	6	4.5	3.5	40	15	M3x10	4.61	5.97	43.08	21.98	21.98
MGN15H																						25	43.4	58.8	6.37	9.11

Note : 1 kgf = 9.81 N