

Descriptions:

Three-phase brushless motor. Insulation and corrosion resistance. Nylon propeller 4 leaves.

Application: Ship model accessories, underwater robot, remote boat model.

Specifications:

Product Name: Brushless Motor Underwater Propeller

Brand & Fulfillment: SKYAREA®

Color: Green

Motor Material: 304 Stainless Steel Bearing + Aluminum Alloy

Housing: PLA Nylon Propeller

Specifications: Positive Propeller / Anti-propeller Propeller

Voltage: 12V-24V Current: 13A

Power: 30W-200W

Motor: 600KV

Product Size: 75*62*62mm Cable Length: 250mm

Note 1:

This propeller must be equipped with a brushless motor driver to operate normally.

With a brushless motor, it can be forward and reverse. It needs to be equipped with an electronic speed controller.

It must be at least 30A above. It is strictly forbidden to connect directly to the battery.

Specification for 30A ESC:

Model: Shark 30A SBEC G2

30A ESC

Size: 43x25x12mm

Weight: 40g

nuous/peak currentt: 30A/40A

Suitable battery: 2-4S Lipo/5-12Cells NiMH

BEC output: 5V/2A

Battery side plug: T plug or XT60 plug optional

Motor side plug: 3.5mm banana plug

Water cooling nozzle: inner diameter 2mm, outer diameter 5mm

Application: suitable for RC boat model length within 45cm



Model	Clockwise	Voltage	12-24V
Weight	162g	Current	20A
Power	30-200W	Motor KV	1000KV

